

JD-2600A AUTO LENSMETER

NEW



- Adjustable LCD display screen

Tilt color screen provides you with clearview from any position such as sitting and standing.

- Sensitive touch LCD display screen

Just touch the screen can finish your measurement, your operation could be easier and more convenient.

This new generation auto lensmeter is based on Hartmann Sensor technology. Advanced simultaneous measurement of 108 points provides a faster measurement with greater accuracy and reliability.






● Measurement screen

Easy to use with recognisable icons. The JD-2600A provides a user-friendly graphical interface for an immediate understanding.

● Progressive measurement

Automatic measurement of progressive lenses. A graph helps the operator to improve accuracy and speed in the measurement of near and far vision.



Range of measurement

Sphere	0-±25D 0.01/0.12/0.25D step
Cylinder	0-±9.99D 0.01/0.12/0.25D step
Axis	0°-180° (1°step)
Add.	0-±9.99D 0.01/0.12/0.25D step
Prism degree	0-15Δ 0.01/0.12/0.25Δ step

Measurement mode

Cylinder	+,+/-,-
Prism	X-Y,P-B
Contact lens	Soft/hard
Measuring mode	Single/progressive/ automatic recognition

Specifications

Diameter of lens	Φ20-108mm
PD	40-90mm, 0.5mm step
Speed of measurement	0.1s
Display	7" TFT LCD 758×480 pixels
Printer	Thermal Printer
Dimension	222(D)×161(W)×372(H)mm
Package	515(H)×320(W)×390(D)mm
Weight	~5KG
Power supply	100-240V 50-60HZ

Specifications are tentative and subject to change

JD-2600A
AUTO LENSMETER

TAIYUAN XINYUAN HIGH-TECH CENTER NORTH UNIVERSITY OF CHINA

Tel: +86-351-3559336 | +86-351-3559527 Fax: +86-351-3921099

Http://www.xinyuan6000.com E-mail: fa6000@sina.com

Distributed By:

Lab Medica Systems Pvt. Ltd.

705, Sakar 5, Nr. Mithakhali Railway Crossing,
off Ashram Road, Ahmedabad-380 009, Gujarat,INDIA

Tel: +91-79-26574383 Fax: +91-79-26576828

M.: +91 9925017912,+91 9825024708,+91 9099926039

Email : info@labmedicasystems.com www.labmedicasystems.com

- Automatic recognition of single and progressive lens
- Hi-speed UV measurement

Just hold the lens through the sensor, the display will easily indicate the UV measurement by the progress bar.



- Built-in thermal printer

Quick data print with built-in printer. Easy to reload printing paper.

- Built-in UV tester

